NATURMETALL
made by Max Blank



Idyllic touches **for your dream garden**

Pricelist 04/2025



von links: Theresa Blank, Dipl. Ing. (FH) Thomas Blank (Geschäftsführer),
Rosi Blank (Geschäftsführerin), Max Blank (Gründer und Geschäftsführer i.R.)

Tradition for almost 40 years

A long-standing family enterprise

1980/81
The company Max Blank High Quality was founded on schedule in Westheim, laying the foundation with the production and distribution of tiled stove and ventilation doors.

1986
With more than 30 employees, the company was able to maintain a market share of 50 percent.

1991
Development and production of tiled stove and fireplace inserts began.

1996
With further innovations, the company specialized in renewable, eco-friendly raw materials such as firewood. This marked a quantum leap in innovation in the field of fireplaces and wood-burning stoves. Around this time, the company relocated to the outskirts of town and began a steady expansion of its premises.

2000
Expansion of export activities to France and other countries.

2013
Development of an energy-independent, electricity-free pellet heating system – a new milestone for the industry.

2015
The romantic pellet innovation was patented and gained recognition across Europe. That same year, Thomas Blank took over the company after completing his engineering studies, having developed gas-fired fireplaces, which were then added to the product portfolio.

2018
To balance seasonal production, Max Blank launched a new brand: Naturmetall. Today, it includes more than 300 innovative garden products, all inspired by the traditional principles behind Max Blank's success story. With a Europe-wide network and over 100 employees, the company began a new chapter.

MAX BLANK
HIGH QUALITY

NATURMETALL

Produktprogramm

	Page
Design Lines Compared	4 – 5
Raised Beds, Planters & Accessories	
Puristic	8 – 11
Ergo	12 – 15
Cubist	16 – 19
Pure	20 – 23
Accessories	
Base Variants	25
Insulation and Water Reservoir	26
Lifting Eyes, Forklift Openings & Caster Set	27
Round Planters	
Puristic round	28
Cubist round	29
Pure round	30
Modular and Mobile Raised Beds	
Planter	30
Modular Raised Bed	31
Mobile Raised Bed	32 – 33
Benches, Chests & Garden Loungers	
Bench & Chest	35
Bench with Planter Trough / Garden Lounger	36 – 37
Privacy Screens, Grills & Fire Bowls	
Privacy Screens	38
Grills and Fire Bowls	39
Spherical Planters & Tabletop Fire Features	40
Garden Fence & Lantern	41
Water Basins & Fountain Systems	
Purist Water Basins	43 – 45
Watercourses & Spring Fountains	46
Tree & Plant Rings, Edging & Retaining Walls	
Tree & Plant Rings	47 – 49
Edging	50 – 51
Retaining Walls	52 – 53
Order Request	54
Custom Fabrications	55


naturmetall
A brand of Max Blank GmbH
Klaus-Blank-Straße 1
91747 Westheim
Phone +49 (0) 9082 9678-0
info@naturmetall.de | www.naturmetall.de

Note: We accept no liability for discrepancies in content, text, figures, or illustrations.
Design, color, and dimensional changes reserved.

Price list valid from 04/2025. This version becomes invalid upon publication of a new price list.



Steel 3 mm thick, raw DCo1
In serial production orders, delivery is made using DCo1 steel with an untreated, raw surface. (See front page)



If not exposed to aggressive acids and with a minimum of care, this type of steel can last well over 20 years.
For DCo1 steel as well as CorTen steel, we recommend using a drip tray for rustwater (see Accessories) when placing the product on sensitive surfaces, as rustwater runoff may cause staining.

For CorTen steel, this preventive measure is no longer needed after three to four years, as the surface stabilizes.
Thanks to the raised rim on the Kubisch model, rustwater rarely reaches the ground.

Steel DCo1 3 mm

3 mm thick CorTen steel with noble rust patina
This durable steel requires significantly more effort to process than DCo1.
However, the advantage is a product with a service life of over 100 years under normal conditions, provided it is not exposed to aggressive acids. (Applicable from 3 mm material thickness)

The distinctive CorTen rust patina is already activated before delivery, and as long as the surface is exposed to alternating moisture and warmth, its appearance will continue to evolve over time.

After approximately three years, the patina-based corrosion protection process is complete, preserving both the aesthetic surface and long-term durability.

An additional benefit: snails dislike the rust patina, making them reluctant to climb the surface.

CorTen-steel 3 mm, mit noble rust patina

Brushed stainless steel
For those who value a refined appearance that lasts for decades, stainless steel is the material of choice. This exclusive type of steel is resilient, tough, and extremely hard, offering an almost unlimited service life.

Its further processing requires special handling and expert knowledge.
With basic care, as is customary for classic stainless steel products, the surface will retain its elegant finish for many years.

For special applications, we also offer more acid-resistant stainless steel grades upon request.

Stainless steel 2 mm, brushed

3 mm thick painted CorTen steel
Below is the current color selection:

01 Light Ivory
02 Light Pink
03 Red-Violet
04 Pastel Violet
05 Telemagenta
06 Pigeon Blue
07 White-Green
08 Dusty Gray
09 Chestnut Brown
10 Pure White
11 Graphite Black
12 Anthracite



Cubist round



Cubist



Planter Pure




Puristic

Comparison of Four Design Lines

Cubist









Puristic









Ergo









Pure







Ergo

Ergo



Raised Bed / Planter trough Puristic

The Puristic model


Made from 3mm DCo1 or CorTen steel


No illusions, no compromises. Pure design on the outside, absolute structural stability inside, and optimal ecological growth.


A wide range of options. Use your personal preferences to design your dream garden.

Comfortable handling
Sustainable quality
Classic formats
Timeless design
Diverse options
Nearly 40 years of metalworking experience









Puristic Raised Bed | Corten steel

The Naturmetall raised beds are made from 3 mm thick CorTen steel, manufactured from a single piece and delivered seamlessly welded and polished up to aLength of 3 meters.

By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately if used as planting troughs. The upper C-edge is 30 mm wide.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material
8301	75	100	150	CorTen Steel

(Example: CorTen steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		**Corten steel (-32600) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8301	25	50	331,93	399,16	470,59	605,04	739,50	878,15	1012,61
8301	25	100	399,16	470,59	537,82	672,27	810,92	945,38	1079,83
8301	25	150		537,82	605,04	739,50	878,15	1012,61	1151,26
8301	25	200			672,27	810,92	945,38	1079,83	1218,49
8301	50	50	457,98	596,64	676,47	941,18	1172,27	1399,16	1630,25
8301	50	100	567,23	710,08	785,71	1054,62	1285,71	1516,81	1743,70
8301	50	150		785,71	941,18	1172,27	1399,16	1630,25	1857,14
8301	50	200			1054,62	1285,71	1516,81	1743,70	1974,79
8301	75	50	600,84	794,12	907,56	1277,31	1600,84	1924,37	2243,70
8301	75	100	752,10	953,78	1058,82	1436,97	1760,50	2084,03	2407,56
8301	75	150		1113,45	1277,31	1600,84	1924,37	2243,70	2567,23
8301	75	200			1436,97	1760,50	2084,03	2407,56	2731,09
8301	90	50	722,69	911,76	1100,84	1483,19	1861,34	2239,50	2617,65
8301	90	100	869,75	1100,84	1226,89	1705,88	2050,42	2428,57	2806,72
8301	90	150		1294,12	1483,19	1861,34	2239,50	2617,65	2995,80
8301	90	200			1672,27	2050,42	2428,57	2806,72	3184,87



Planter trough







Raised Bed / Planter trough Puristic

Puristic Raised Bed | Color-coated

The color-coated raised beds from Naturmetall are made from 3 mm thick CorTen steel, manufactured from a single piece and seamlessly welded and polished up to a length of 3 meters. Afterwards, the raised bed is coated with a high-quality, highly scratch-resistant paint finish.

By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The upper C-edge is 30 mm wide.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Color Code
8301	75	100	150	32612 (e.g., Anthracite)

(Example: Anthracite, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Color-coated Corten steel (-326 color code) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8301	25	50	542,02	684,87	831,93	1117,65	1403,36	1693,28	1978,99
8301	25	100	684,87	831,93	974,79	1260,50	1550,42	1836,13	2121,85
8301	25	150		974,79	1117,65	1403,36	1693,28	1978,99	2268,91
8301	25	200			1260,50	1550,42	1836,13	2121,85	2411,76
8301	50	50	844,54	1088,24	1331,93	1815,13	2298,32	2781,51	3264,71
8301	50	100	1088,24	1331,93	1571,43	2054,62	2542,02	3025,21	3869,75
8301	50	150		1571,43	1815,13	2298,32	2781,51	3264,71	3752,10
8301	50	200			2054,62	2542,02	3025,21	3508,40	3991,60
8301	75	50	1151,26	1491,60	1831,93	2512,61	3193,28	3873,95	4554,62
8301	75	100	1491,60	1831,93	2172,27	2852,94	3533,61	4214,29	4894,96
8301	75	150		2172,27	2512,61	3193,28	3873,95	4554,62	5235,29
8301	75	200			2924,37	3533,61	4214,29	4894,96	5575,63
8301	90	50	1348,74	1735,29	2134,45	2932,77	2932,77	4529,41	5327,73
8301	90	100	1735,29	2134,45	2533,61	3331,93	4130,25	4928,57	5731,09
8301	90	150		2533,61	2932,77	3731,09	4529,41	5327,73	6130,25
8301	90	200			3331,93	4130,25	4928,57	5731,09	6529,41

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Puristic Raised Bed | Stainless steel

The Naturmetall raised beds are made from 2 mm thick stainless steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters.

By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The upper C-edge is 30 mm wide.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8301	75	100	150	30300 (e.g., Stainless steel)

(Example: Stainless steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Stainless steel (-30300) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8301	25	50	655,46	831,93	1008,40	1361,34	1714,29	2067,23	2420,17
8301	25	100	831,93	1008,40	1184,87	1537,82	1890,76	2243,70	2596,64
8301	25	150		1184,87	1361,34	1714,29	2067,23	2420,17	2773,11
8301	25	200			1537,82	1890,76	2243,70	2596,64	2949,58
8301	50	50	1029,41	1327,73	1621,85	2218,49	2810,92	3407,56	4000,00
8301	50	100	1327,73	1621,85	1920,17	2512,61	3109,24	3701,68	4298,32
8301	50	150		1920,17	2218,49	2810,92	3407,56	4000,00	4592,44
8301	50	200			2512,61	3109,24	3701,68	4298,32	4890,76
8301	75	50	1399,16	1819,33	2235,29	3071,43	3907,56	4743,70	5579,83
8301	75	100	1819,33	2235,29	2655,46	3491,60	4323,53	5159,66	5995,80
8301	75	150		2655,46	3071,43	3907,56	4743,70	5579,83	6415,97
8301	75	200			3491,60	4323,53	5159,66	5995,80	6831,93
8301	90	50	1626,05	2117,65	2609,24	3588,24	4567,23	5550,42	6529,41
8301	90	100	2117,65	2609,24	3096,64	4079,83	5058,82	6037,82	7021,01
8301	90	150		3096,64	3588,24	4567,23	5550,42	6529,41	7512,61
8301	90	200			4079,83	5058,82	6037,82	7936,97	8000,00





Raised Bed / Planter trough Ergo

The Ergo model

Made from 3mm DCo1 or CorTen steel

Ergonomic shape with lawn protection edge and all the advantages found in the Kubisch model.

Ergonomic working
Back-friendly
With lawn protection edge
Various options

Raised Bed Ergo | Corten steel

The Naturmetall raised beds are made from 3 mm thick CorTen steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters.

By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The upper C-edge is 30 mm wide.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8101	75	100	150	32600 (e.g., CorTen steel)

(Example: CorTen steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		**Corten steel (-32600) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8101	25	50	382,35	457,98	542,02	697,48	848,74	1008,40	1163,87
8101	25	100	457,98	542,02	617,65	773,11	932,77	1088,24	1243,70
8101	25	150		617,65	697,48	848,74	1008,40	1163,87	1323,53
8101	25	200			773,11	932,77	1088,24	1243,70	1403,36
8101	50	50	525,21	684,87	777,31	1084,03	1348,74	1609,24	1873,95
8101	50	100	651,26	815,13	903,36	1214,29	1478,99	1743,70	2004,20
8101	50	150		903,36	1084,03	1348,74	1609,24	1873,95	2134,45
8101	50	200			1214,29	1478,99	1743,70	2004,20	2268,91
8101	75	50	689,08	911,76	1042,02	1470,59	1840,34	2214,29	2579,83
8101	75	100	865,55	1096,64	1218,49	1651,26	2025,21	2394,96	2768,91
8101	75	150		1281,51	1470,59	1840,34	2214,29	2579,83	2953,78
8101	75	200			1651,26	2025,21	2394,96	2768,91	3142,86
8101	90	50	831,93	1050,42	1264,71	1705,88	2138,66	2575,63	3008,40
8101	90	100	1000,00	1264,71	1411,76	1962,18	2357,14	2794,12	3226,89
8101	90	150		1487,39	1705,88	2138,66	2575,63	3008,40	3445,38
8101	90	200			1924,37	2357,14	2794,12	3226,89	3663,87



Ergo
Raised Bed / Planter trough



Raised Bed / Planter trough Ergo

Raised bed Ergo | Color-coated

The color-coated raised beds from Naturmetall are made from 3 mm thick CorTen steel, manufactured from a single piece and seamlessly welded and polished up to a length of 3 meters. Afterwards, the raised bed is coated with a high-quality, highly scratch-resistant paint finish.

By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The upper C-edge is 30 mm wide.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Color Code
8101	75	100	150	3261012 (e.g., Anthracite)

(Example: Anthracite, H 75 x W 100 x L 150 cm)

	Outside dimensi-ons (cm)		**Color-coated Corten steel (-326 color code) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8101	25	50	651,26	823,53	1000,00	1340,34	1684,87	2033,61	2373,95
8101	25	100	823,53	1000,00	1168,07	1512,61	1861,34	2201,68	2546,22
8101	25	150		1168,07	1340,34	1684,87	2033,61	2373,95	2722,69
8101	25	200			1512,61	1861,34	2201,68	2546,22	2894,96
8101	50	50	1012,61	1306,72	1596,64	2176,47	2756,30	3336,13	3915,97
8101	50	100	1306,72	1596,64	1886,55	2466,39	3050,42	3630,25	4642,86
8101	50	150		1886,55	2176,47	2756,30	3336,13	3915,97	4504,20
8101	50	200			2466,39	3050,42	3630,25	4210,08	4789,92
8101	75	50	1382,35	1789,92	2197,48	3016,81	3831,93	4647,06	5466,39
8101	75	100	1789,92	2197,48	2605,04	3424,37	4239,50	5058,82	5873,95
8101	75	150		2605,04	3016,81	3831,93	4647,06	5466,39	6281,51
8101	75	200			3508,40	4239,50	5058,82	5873,95	6689,08
8101	90	50	1617,65	2084,03	2563,03	3521,01	3521,01	5436,97	6394,96
8101	90	100	2084,03	2563,03	3042,02	4000,00	4957,98	5915,97	6878,15
8101	90	150		3042,02	3521,01	4478,99	5436,97	6394,96	7357,14
8101	90	200			4000,00	4957,98	5915,97	6878,15	7836,13

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Raised Bed Ergo | Stainless steel

The Naturmetall raised beds are made from 2 mm thick stainless steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters.

By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The upper C-edge is 30 mm wide.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8101	75	100	150	3030000 (e.g., Stainless steel)

(Example: Stainless steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Stainless steel (-3030000) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8101	25	50	819,33	1042,02	1260,50	1701,68	2142,86	2584,03	3025,21
8101	25	100	1042,02	1260,50	1483,19	1924,37	2365,55	2806,72	3247,90
8101	25	150		1483,19	1701,68	2142,86	2584,03	3025,21	3466,39
8101	25	200			1924,37	2365,55	2806,72	3247,90	3689,08
8101	50	50	1285,71	1659,66	2029,41	2773,11	3512,61	4260,50	5000,00
8101	50	100	1659,66	2029,41	2399,16	3142,86	3886,55	4626,05	5373,95
8101	50	150		2399,16	2773,11	3512,61	4260,50	5000,00	5739,50
8101	50	200			3142,86	3886,55	4626,05	5373,95	6113,45
8101	75	50	1747,90	2273,11	2794,12	3840,34	4886,55	5928,57	6974,79
8101	75	100	2273,11	2794,12	3319,33	4365,55	5403,36	6449,58	7495,80
8101	75	150		3319,33	3840,34	4886,55	5928,57	6974,79	8021,01
8101	75	200			4365,55	5403,36	6449,58	7495,80	8542,02
8101	90	50	2033,61	2647,06	3260,50	4487,39	5710,08	6936,97	8163,87
8101	90	100	2647,06	3260,50	3869,75	5100,84	6323,53	7546,22	8777,31
8101	90	150		3869,75	4487,39	5710,08	6936,97	8163,87	9390,76
8101	90	200			5100,84	6323,53	7546,22	9920,17	10000,00



Ergo
Raised Bed / Planter trough





Raised Bed / Planter trough Cubic

The cubic model

Made from 3mm DCo1 or CorTen steel

Rule No. 1 for Naturmetall: High quality from the Max Blank manufactory. We have always adhered to this principle and have transferred our guiding philosophy, „Heart and Mind," to Naturmetall with the same passion. Available in a variety of dimensions as classic cubes, squares, cylinders, as well as small and large rectangular blocks.

Surrounding rim
Ergonomic working
Back-friendly (raised bed)
Various options

Tray options

		€ excl. VAT (Additional cost)						
Ablage	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
Massivholz	50	221,85	295,80	369,75	517,65	666,39	814,29	962,18
Massivholz	100	295,80	369,75	443,70	591,60	740,34	888,24	1036,13
Massivholz	150		443,70	517,65	666,39	814,29	962,18	1110,08
Massivholz	200			591,60	740,34	888,24	1036,13	1184,03
Corten steel	50	221,85	295,80	369,75	517,65	666,39	814,29	962,18
Corten steel	100	295,80	369,75	443,70	591,60	740,34	888,24	1036,13
Corten steel	150		443,70	517,65	666,39	814,29	962,18	1110,08
Corten steel	200			591,60	740,34	888,24	1036,13	1184,03
color-coated	50	342,02	456,30	569,75	798,32	1026,05	1253,78	1482,35
color-coated	100	456,30	569,75	684,03	911,76	1140,34	1368,07	1595,80
color-coated	150		684,03	798,32	1026,05	1253,78	1482,35	1710,08
color-coated	200			911,76	1140,34	1368,07	1595,80	1824,37
Stainless steel	50	342,02	456,30	569,75	798,32	1026,05	1253,78	1482,35
Stainless steel	100	456,30	569,75	684,03	911,76	1140,34	1368,07	1595,80
Stainless steel	150		684,03	798,32	1026,05	1253,78	1482,35	1710,08
Stainless steel	200			911,76	1140,34	1368,07	1595,80	1824,37

Raised Bed Cubic | Corten steel

The Naturmetall raised beds are made from 3 mm thick CorTen steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters.
By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The practical rim offers a width of 11 cm, providing space for tools and materials. Another advantage: snails tend to avoid this barrier.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.
Note: Please make sure to select the appropriate rim and specify it when placing your order.
If no specification is given, the corresponding rim will be added automatically to your order.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8201	75	100	150	32600 (e.g., CorTen steel)

(Example: CorTen steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		**Corten steel (-32600) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8201	25	50	382,35	457,98	542,02	697,48	848,74	1008,40	1163,87
8201	25	100	457,98	542,02	617,65	773,11	932,77	1088,24	1243,70
8201	25	150		617,65	697,48	848,74	1008,40	1163,87	1323,53
8201	25	200			773,11	932,77	1088,24	1243,70	1403,36
8201	50	50	525,21	684,87	777,31	1084,03	1348,74	1609,24	1873,95
8201	50	100	651,26	815,13	903,36	1214,29	1478,99	1743,70	2004,20
8201	50	150		903,36	1084,03	1348,74	1609,24	1873,95	2134,45
8201	50	200			1214,29	1478,99	1743,70	2004,20	2268,91
8201	75	50	689,08	911,76	1042,02	1470,59	1840,34	2214,29	2579,83
8201	75	100	865,55	1096,64	1218,49	1651,26	2025,21	2394,96	2768,91
8201	75	150		1281,51	1470,59	1840,34	2214,29	2579,83	2953,78
8201	75	200			1651,26	2025,21	2394,96	2768,91	3142,86
8201	90	50	831,93	1050,42	1264,71	1705,88	2138,66	2575,63	3008,40
8201	90	100	1000,00	1264,71	1411,76	1962,18	2357,14	2794,12	3226,89
8201	90	150		1487,39	1705,88	2138,66	2575,63	3008,40	3445,38
8201	90	200			1924,37	2357,14	2794,12	3226,89	3663,87



NATURMETALL

Raised Bed Cubic | Color-coated



Raised Bed / Planter trough Cubic

The Naturmetall raised beds are made from 3 mm thick CorTen steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters.
By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The practical rim offers a width of 11 cm, providing space for tools and materials. Another advantage: snails tend to avoid this barrier.
For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Note: Please make sure to select the appropriate rim and specify it when placing your order.
If no specification is given, the corresponding rim will be added automatically to your order.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Color Code
8201	75	100	150	32612 (e.g., Anthracite)

(Example: Anthracite, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Color-coated Corten steel (-326 color code) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8201	25	50	651,26	823,53	1000,00	1340,34	1684,87	2033,61	2373,95
8201	25	100	823,53	1000,00	1168,07	1512,61	1861,34	2201,68	2546,22
8201	25	150		1168,07	1340,34	1684,87	2033,61	2373,95	2722,69
8201	25	200			1512,61	1861,34	2201,68	2546,22	2894,96
8201	50	50	1012,61	1306,72	1596,64	2176,47	2756,30	3336,13	3915,97
8201	50	100	1306,72	1596,64	1886,55	2466,39	3050,42	3630,25	4642,86
8201	50	150		1886,55	2176,47	2756,30	3336,13	3915,97	4504,20
8201	50	200			2466,39	3050,42	3630,25	4210,08	4789,92
8201	75	50	1382,35	1789,92	2197,48	3016,81	3831,93	4647,06	5466,39
8201	75	100	1789,92	2197,48	2605,04	3424,37	4239,50	5058,82	5873,95
8201	75	150		2605,04	3016,81	3831,93	4647,06	5466,39	6281,51
8201	75	200			3508,40	4239,50	5058,82	5873,95	6689,08
8201	90	50	1617,65	2084,03	2563,03	3521,01	3521,01	5436,97	6394,96
8201	90	100	2084,03	2563,03	3042,02	4000,00	4957,98	5915,97	6878,15
8201	90	150		3042,02	3521,01	4478,99	5436,97	6394,96	7357,14
8201	90	200			4000,00	4957,98	5915,97	6878,15	7836,13

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Raised Bed Cubic | Stainless steel

The Naturmetall raised beds are made from 2 mm thick stainless steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters
By default, delivery is without bottom and insulation—these components are available as optional accessories and must be ordered separately for use as a planter trough. The practical rim offers a width of 11 cm, providing space for tools and materials. Another advantage: snails tend to avoid this barrier.
For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.
Note: Please make sure to select the appropriate rim and specify it when placing your order.
If no specification is given, the corresponding rim will be added automatically to your order.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8201	75	100	150	30300 (e.g., Stainless steel)

(Example: Stainless steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Stainless steel (-30300) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8201	25	50	819,33	1042,02	1260,50	1701,68	2142,86	2584,03	3025,21
8201	25	100	1042,02	1260,50	1483,19	1924,37	2365,55	2806,72	3247,90
8201	25	150		1483,19	1701,68	2142,86	2584,03	3025,21	3466,39
8201	25	200			1924,37	2365,55	2806,72	3247,90	3689,08
8201	50	50	1285,71	1659,66	2029,41	2773,11	3512,61	4260,50	5000,00
8201	50	100	1659,66	2029,41	2399,16	3142,86	3886,55	4626,05	5373,95
8201	50	150		2399,16	2773,11	3512,61	4260,50	5000,00	5739,50
8201	50	200			3142,86	3886,55	4626,05	5373,95	6113,45
8201	75	50	1747,90	2273,11	2794,12	3840,34	4886,55	5928,57	6974,79
8201	75	100	2273,11	2794,12	3319,33	4365,55	5403,36	6449,58	7495,80
8201	75	150		3319,33	3840,34	4886,55	5928,57	6974,79	8021,01
8201	75	200			4365,55	5403,36	6449,58	7495,80	8542,02
8201	90	50	2033,61	2647,06	3260,50	4487,39	5710,08	6936,97	8163,87
8201	90	100	2647,06	3260,50	3869,75	5100,84	6323,53	7546,22	8777,31
8201	90	150		3869,75	4487,39	5710,08	6936,97	8163,87	9390,76
8201	90	200			5100,84	6323,53	7546,22	9920,17	10000,00





Raised Bed / Planter trough Pure


The pure model


Made from 5 mm DCo1 or CorTen steel


No illusions, no compromises. Pure design on the outside, absolute structural stability inside, and optimal ecological growth.

A wide variety of options. Use your personal advantages to create your dream garden.

Comfortable operation
Sustainable quality
Classic formats
Timeless design
Wide variety of options
Nearly 40 years of metalworking expertise







Raised Bed Pure | Corten steel

The Naturmetall Raised Beds Pure are made from 5 mm thick CorTen steel, manufactured from a single piece and delivered seamlessly welded and polished up to a length of 3 meters.

Delivery is standardly without bottom and insulation—both are optionally available and must be ordered separately if used as a planter trough. The top edge consists of untreated, pure material thickness.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8301P	75	100	150	32600 (e.g., CorTen steel)

(Example: CorTen steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Corten steel (-32600) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8301P	25	50	399,16	478,99	563,03	726,89	886,55	1054,62	1214,29
8301P	25	100	478,99	563,03	647,06	806,72	974,79	1134,45	1294,12
8301P	25	150		647,06	726,89	886,55	1054,62	1214,29	1382,35
8301P	25	200			806,72	974,79	1134,45	1294,12	1462,18
8301P	50	50	550,42	714,29	810,92	1130,25	1407,56	1680,67	1957,98
8301P	50	100	680,67	852,94	941,18	1264,71	1542,02	1819,33	2092,44
8301P	50	150		941,18	1130,25	1407,56	1680,67	1957,98	2226,89
8301P	50	200			1264,71	1542,02	1819,33	2092,44	2369,75
8301P	75	50	722,69	953,78	1088,24	1533,61	1920,17	2310,92	2693,28
8301P	75	100	903,36	1142,86	1268,91	1722,69	2113,45	2500,00	2890,76
8301P	75	150		1336,13	1533,61	1920,17	2310,92	2693,28	3079,83
8301P	75	200			1722,69	2113,45	2500,00	2890,76	3277,31
8301P	90	50	865,55	1092,44	1319,33	1781,51	2235,29	2689,08	3142,86
8301P	90	100	1042,02	1319,33	1470,59	2046,22	2462,18	2915,97	3369,75
8301P	90	150		1554,62	1781,51	2235,29	2689,08	3142,86	3596,64
8301P	90	200			2008,40	2462,18	2915,97	3369,75	3823,53



Pure
Raised Bed / Planter trough



Raised Bed / Planter trough Pure

Raised Bed Pure | Color-coated

The color-coated Raised Beds Pure from Naturmetall are made from 5 mm thick CorTen steel, manufactured from a single piece and seamlessly welded and polished up to a length of 3 meters. Afterwards, the raised bed is coated with a high-quality, very scratch-resistant paint.
Delivery is standardly without bottom and insulation—both are optionally available and must be ordered separately if used as a planter trough. The top edge consists of untreated, pure material thickness.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8301P	75	100	150	32612 (e.g., Anthracite)

(Example: Anthracite, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		**Color-coated Corten steel (-326 color code) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8301P	25	50	651,26	823,53	1000,00	1340,34	1684,87	2033,61	2373,95
8301P	25	100	823,53	1000,00	1168,07	1512,61	1861,34	2201,68	2546,22
8301P	25	150		1168,07	1340,34	1684,87	2033,61	2373,95	2722,69
8301P	25	200			1512,61	1861,34	2201,68	2546,22	2894,96
8301P	50	50	1012,61	1306,72	1596,64	2176,47	2756,30	3336,13	3915,97
8301P	50	100	1306,72	1596,64	1886,55	2466,39	3050,42	3630,25	4642,86
8301P	50	150		1886,55	2176,47	2756,30	3336,13	3915,97	4504,20
8301P	50	200			2466,39	3050,42	3630,25	4210,08	4789,92
8301P	75	50	1382,35	1789,92	2197,48	3016,81	3831,93	4647,06	5466,39
8301P	75	100	1789,92	2197,48	2605,04	3424,37	4239,50	5058,82	5873,95
8301P	75	150		2605,04	3016,81	3831,93	4647,06	5466,39	6281,51
8301P	75	200			3508,40	4239,50	5058,82	5873,95	6689,08
8301P	90	50	1617,65	2084,03	2563,03	3521,01	3521,01	5436,97	6394,96
8301P	90	100	2084,03	2563,03	3042,02	4000,00	4957,98	5915,97	6878,15
8301P	90	150		3042,02	3521,01	4478,99	5436,97	6394,96	7357,14
8301P	90	200			4000,00	4957,98	5915,97	6878,15	7836,13

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Raised Bed Pure | Stainless steel

The naturmetall Raised Beds Pure are made from 5 mm thick stainless steel, manufactured from a single piece and seamlessly welded and polished up to a length of 3 meters.

Delivery is standardly without bottom and insulation—both are optionally available and must be ordered separately if used as a planter trough. The top edge consists of untreated, pure material thickness.

For larger dimensions, delivery is made in two or more segments for easy on-site assembly by bolting. To ensure structural stability, reinforcement braces are required depending on size and are included in the delivery.

Item Number	Height (cm)	Width (cm)	Length (cm)	Material / Code
8301P	75	100	150	30300 (e.g., Stainless steel)

(Example: Stainless steel, H 75 x W 100 x L 150 cm)

	Outside dimensions (cm)		Stainless steel (-30300) € excl. VAT						
Basic-Article-number	Height	Length / Width	100	150	200	300	400	500	600
8301P	25	50	785,71	1000,00	1210,08	1634,45	2058,82	2478,99	2903,36
8301P	25	100	1000,00	1210,08	1420,17	1844,54	2268,91	2693,28	3117,65
8301P	25	150		1420,17	1634,45	2058,82	2478,99	2903,36	3327,73
8301P	25	200			1844,54	2268,91	2693,28	3117,65	3537,82
8301P	50	50	1235,29	1592,44	1945,38	2663,87	3373,95	4088,24	4798,32
8301P	50	100	1592,44	1945,38	2302,52	3016,81	3731,09	4441,18	5159,66
8301P	50	150		2302,52	2663,87	3373,95	4088,24	4798,32	5512,61
8301P	50	200			3016,81	3731,09	4441,18	5159,66	5869,75
8301P	75	50	1680,67	2184,87	2680,67	3684,87	4689,08	5693,28	6697,48
8301P	75	100	2184,87	2680,67	3184,87	4189,08	5189,08	6193,28	7193,28
8301P	75	150		3184,87	3684,87	4689,08	5693,28	6697,48	7697,48
8301P	75	200			4189,08	5189,08	6193,28	7193,28	8197,48
8301P	90	50	1949,58	2542,02	3130,25	4306,72	5478,99	6659,66	7836,13
8301P	90	100	2542,02	3130,25	3714,29	4894,96	6071,43	7243,70	8424,37
8301P	90	150		3714,29	4306,72	5478,99	6659,66	7836,13	9016,81
8301P	90	200			4894,96	6071,43	7243,70	9525,21	9600,84



Pure
Raised Bed / Planter trough






Raised Bed / Planter trough Puristisch

Accessories

for raised beds and planters

- Base Variants



Bottom (water-permeable)



Bottom (waterproof)



Rodent guard

- Insulation and Water Reservoir




300 insulation
for heat and cold protection




Water retention mat


- Transport options



Lifting eyes (1 set of 4 lifting eyes)



Forklift openings



Caster set (4 wheels)


Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Raised Bed-Accessories | Bottom options

If the planter is used as a mobile unit or placed on a sealed surface, equipping it with a bottom is recommended or required.
To ensure reliable water drainage and avoid waterlogging, this bottom should be designed to be permeable.

Alternatively, a closed, waterproof bottom can be integrated — in this case, a combination of an interior coating and an overflow pipe is necessary to safely drain excess water.

		Outer dimensions (cm)	Additional cost, € excl. VAT								
Art	**Material**	**Length / Width**	**50**	**100**	**150**	**200**	**250**	**300**	**400**	**500**	**600**
Bottom (water-permeable)	Corten steel	50	35,29	70,59	105,04	140,34	166,39	199,16	265,55	306,72	376,47
	Corten steel	100		140,34	199,16	265,55	331,93	398,32	489,92	612,61	752,94
	Corten steel	150			299,16	398,32	498,32	551,26	735,29	842,86	842,86
	Corten steel	200				531,09	612,61	735,29	898,32	1123,53	1123,53
	Stainless steel and Color-coated	50	67,23	133,61	200,00	267,23	315,13	378,99	505,04	582,35	715,97
	Stainless steel and Color-coated	100		267,23	378,99	505,04	631,09	757,14	931,09	1164,71	1431,09
	Stainless steel and Color-coated	150			568,07	757,14	946,22	1047,90	1397,48	1600,84	1600,84
	Stainless steel and Color-coated	200				1009,24	1164,71	1397,48	1707,56	2134,45	2134,45
Bottom (waterproof)	Corten steel	50	89,92	151,26	211,76	273,11	324,37	384,03	502,52	594,96	746,22
	Corten steel	100		273,11	384,03	502,52	621,01	739,50	935,29	1162,18	1435,29
	Corten steel	150			561,34	739,50	916,81	1048,74	1389,08	1652,94	1652,94
	Corten steel	200				976,47	1162,18	1389,08	1761,34	2194,12	2194,12
	Stainless steel and Color-coated	50	121,01	214,29	306,72	400,00	473,95	563,03	741,18	871,43	1084,87
	Stainless steel and Color-coated	100		400,00	563,03	741,18	920,17	1097,48	1376,47	1713,45	2113,45
	Stainless steel and Color-coated	150			830,25	1097,48	1365,55	1545,38	2051,26	2410,92	2410,92
	Stainless steel and Color-coated	200				1454,62	1713,45	2051,26	2569,75	3205,04	3205,04
Rodent guard	Corten steel	50	31,25	62,50	93,75	125,00	156,25	187,50	250,00	312,50	375,00
	Corten steel	100		125,00	187,50	250,00	312,50	375,00	500,00	625,00	750,00
	Corten steel	150			281,25	375,00	468,75	562,50	750,00	937,50	1125,00
	Corten steel	200				500,00	625,00	750,00	1000,00	1250,00	1500,00


Bottom (water-permeable)


Bottom (waterproof)


Rodent guard

NATURMETALL

Raised Bed-Accessories | Insulation and water retention mat

Insulation

To protect plant roots from heat and frost, internal insulation of the planter boxes is one of the most important accessories.
The insulation panels are delivered in full sheets and can be cut to size on site and easily installed.



300 insulation
for heat and cold protection

	Measurements in cm			
Article	**L**	**W**	**Thick-ness**	**€ excl. VAT**
High-compressive-strength XPS insulation boards	125	60	20 mm	10,50
Pressure-resistant PUR insulation boards, aluminum-laminated on both sides		140,34	199,16	16,81

Water retention mat

Hygro mats – also known as water retention mats – can optionally be integrated into planter boxes for insulation and irrigation support.
They store up to 50% of their volume in water, replacing a multiple amount of substrate.



Raised Bed-Accessories

	Measurements in cm			
Article	**L**	**W**	**Thick-ness**	**€ excl. VAT**
Water retention mat	100	60	40 mm	31,51


Raised Bed-Accessories | Transport options

Maximum mobility for your raised bed or planter trough with naturmetall's flexible transport options.
Please note: For the transport options „forklift openings" and „roller set," selecting a base version is required.

Lifting eyes

Safe lifting and flexible repositioning – with lifting lugs
For maximum mobility, our natural metal planters can be optionally equipped with sturdy lifting lugs. This allows even planted containers to be easily and safely repositioned by crane – without the need for emptying or replanting.

	€ excl. VAT		
Article	**CorTen**	**color-coated**	**Stainless steel**
Lifting Lug Set – welded to the planter trough Each set consists of 4 sturdy lifting lugs, firmly welded to the planter.	146,22	292,44	292,44




Lifting eyes (1 set of 4 lifting eyes)

Forklift openings

Flexible repositioning – even when planted
For maximum mobility, our natural metal planters can optionally be equipped with practical forklift openings.
This allows planted containers to be moved easily and safely by forklift – without replanting or emptying.
To conceal the transport openings, we recommend using removable cover panels.

	Outer dimensions (cm)	Additional cost, € excl. VAT								
Material	**Length / Width**	**50**	**100**	**150**	**200**	**250**	**300**	**400**	**500**	**600**
Corten steel	50	260,50	313,45	391,60	479,83	542,86	626,05	791,60	1105,04	1417,65
Corten steel	100	417,65	500,84	626,05	791,60	957,98	1123,53	1352,94	1853,78	2355,46
Stainless steel and Color-coated	50	499,16	599,16	748,74	915,97	1036,97	1194,96	1510,08	2109,24	2708,40
Stainless steel and Color-coated	100	796,64	955,46	1194,96	1510,08	1826,05	2140,34	2576,47	3531,93	4488,24

Cover plate for forklift opening A set consists of 4 screw-on cover plates.	Corten steel	Stainless steel and Color-coated
	168,07	294,12




Forklift openings

Caster set

Easy Mobility – Flexible repositioning thanks to sturdy, fixed-mounted castors on the planter trough. One castor set consists of 4 high-quality wheels.

Article	**€ excl. VAT**
Castor set for planter troughs with a width/length of >50 cm	252,03
Castor set for planter troughs with a width/length of <50 cm	176,47



Caster set (4 wheels)



Raised Bed / Planter trough Puristic round

Puristic Raised Bed | round

The natural metal Raised Bed Puristic Round
Made from 3 mm thick material (or 2 mm in stainless steel), each piece is crafted in one piece and delivered seamlessly welded and ground.
By default, delivery is without a base. A base is optionally available and must be ordered separately for use as a planter trough. The upper C-edge is 30 mm wide.

Item number	- Height	- Diameter	- Material	
8301	- 035	- 50	- 32600	(e.g. Corten steel, H 35 x Ø 50 cm)

	Outside dimensions (cm)				€ excl. VAT		
Basic-Article-number	**H**	**Ø**	**Weight in kg (ca.)**	**Füllvolumen in Liter**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
8301	50	50	20	98	182,29	309,89	364,58
8301	50	65	27	166	308,07	523,72	616,14
8301	50	95	39	354	658,07	1118,71	1316,14
8301	75	50	31	147	273,44	464,84	546,87
8301	75	65	40	249	462,11	785,58	924,21
8301	75	95	58	532	987,10	1678,07	1974,20
8301	100	50	41	196	364,58	619,79	729,16
8301	100	65	53	332	616,14	1047,44	1232,28
8301	100	95	78	709	1316,14	2237,43	2632,27

Accessories (unter anderem zur Nutzung des Raised Bedes als Planter trough)

	Rodent guard		Bottom (water-permeable)		Bottom (waterproof)	
passend zu Ø	**Art.-Nr.**	**€ excl. VAT**	**Art.-Nr.**	**€ excl. VAT**	**Art.-Nr.**	**€ excl. VAT**
50	82025-326	23,74	83025-108	45,52	84025-108	77,39
65	82026-326	33,22	83026-108	63,13	84026-108	107,32
95	82027-326	59,61	83027-108	112,13	84027-108	190,62

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Raised Bed Kubisch | round

The natural metal Raised Bed Cubic Round
Made from 3 mm thick material (or 2 mm in stainless steel), each piece is crafted from a single sheet and delivered seamlessly welded and ground.
The shelf is supplied in the same material and finish as the main product.

By default, delivery is without a base. A base is optionally available and must be ordered separately for use as a planter trough.

Item number	- Height	- Diameter	- Material	
83010	- 035	- 50	- 3260000	(e.g. Corten steel, H 35 x Ø 50 cm)

	Outside dimensions (cm)				€ excl. VAT		
Basic-Article-number	**H**	**Ø**	**Weight in kg (ca.)**	**Füllvolumen in Liter**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
82010	50	50	20	98	723,87	1230,59	1447,75
82010	50	65	27	166	508,32	864,14	1016,63
82010	50	95	39	354	401,04	681,77	802,08
82010	75	50	31	147	156,07	265,33	312,15
82010	75	65	40	249	1085,81	1845,88	2171,62
82010	75	95	58	532	677,75	1152,18	1355,51
82010	100	50	41	196	300,78	511,32	601,56
82010	100	65	53	332	193,38	328,75	386,76
82010	100	95	78	709	1447,75	2461,17	2895,50

Accessories (unter anderem zur Nutzung des Raised Bedes als Planter trough)

	Rodent guard		Bottom (water-permeable)		Bottom (waterproof)	
passend zu Ø	**Art.-Nr.**	**€ excl. VAT**	**Art.-Nr.**	**€ excl. VAT**	**Art.-Nr.**	**€ excl. VAT**
50	82025-326	23,74	83025-108	45,52	84025-108	77,39
65	82026-326	33,22	83026-108	63,13	84026-108	107,32
95	82027-326	59,61	83027-108	112,13	84027-108	190,62







Pure planter & Plant pot

Planter (including permeable base)

Simple, strong, versatile – the planter by naturmetall
Our planter offers maximum design flexibility at an excellent price-performance ratio.
Made from durable 1 mm thick metal, it impresses with its stability and longevity – while remaining lightweight.

The integrated water-permeable base ensures optimal drainage and healthy plants.

	Outside dimensions (cm)				€ excl. VAT	
Basic-Article-number	L	W	H	Capacity in liters	CorTen -32600	color-coated -326colorcode
8012127	36	36	30	39	152,22	190,27
8012146	36	36	48	62	183,95	229,94
8012128	36	36	60	78	205,11	256,39
8012129	36	36	96	124	268,58	335,72
8012132	50	50	48	120	216,86	271,08
8012133	50	50	75	188	282,97	353,72
8012134	50	50	96	240	334,39	417,99
8012138	74	74	30	164	208,05	260,06
8012139	74	74	48	263	273,28	341,60
8012140	74	74	74	405	367,50	459,37



Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Modulare Raised Bed

The modular Raised Bed by naturmetall combines maximum design flexibility with an attractive price-performance ratio.

Easily configure your ideal raised bed from the required individual modules – flexible in both size and shape. Made from robust 1.5 mm thick material, the raised bed is easy to assemble on site using the included connectors.

Delivered without a base, the system allows for individual customization and particularly natural integration into your garden landscape.

	Outside dimensions (cm)			€ excl. VAT	€ excl. VAT
Elements	**L**	**B**	**H**	**CorTen -32600**	**Stainless steel -30300**
Corner profile	10	10	75	36,13	49,58
Straight Element	25	-	75	29,41	
Straight Element	50	-	75	41,18	
Straight Element	75	-	75	52,94	
Straight Element	100	-	75	64,71	
Sample 1	120	70	75	356,30	
Sample 2	170	70	75	438,66	
Sample 3	220	120	75	532,77	







NATURMETALL

Benches, Storage Chests & Garden Loungers





Design meets sustainability – Outdoor furniture made of Corten steel & RESYSTA®

Our garden products combine timeless design with long-lasting quality:
The structure made from distinctive, weather-resistant Corten steel forms a solid foundation, while the seating surfaces made of the sustainable material RESYSTA® provide natural comfort – without the drawbacks of traditional wood materials.

RESYSTA® impresses with its elegant wood look, is splinter-free, weather-resistant, and 100% recyclable.
Combined with the warm, rusty appearance of Corten steel, it creates durable furniture pieces full of character – ideal for public spaces, stylish outdoor areas, or private gardens.

RESYSTA® is primarily made from rice husks – a natural by-product – and is bonded using a special process. The result is an extremely durable material that not only looks and feels like wood, but also significantly outperforms it in terms of longevity and low maintenance.

Your advantages at a glance:

- Weather-resistant & long-lasting
- No graying, splintering, or swelling
- Resistant to fungi and insects
- 100% recyclable & eco-friendly
- Works like wood – but requires no maintenance

RESYSTA® surpasses even premium tropical hardwoods in many aspects and actively contributes to environmental protection – all without compromising on style or comfort.


Good to know: RESYSTA® is a high-quality material with a complex manufacturing process – not a budget product.
Since it is extruded, the available cross-sections are limited. Circular benches or cantilevered constructions are only possible to a limited extent and usually require an additional supporting substructure.

Our conclusion:
If you're looking for outdoor furniture with character that is durable, low-maintenance, and environmentally responsible, RESYSTA® is a forward-looking choice.

Puristic Bench (Seat surface made of Resysta)

Article number	-Length	-Width	-Height	- Material	
8304	-120	-55	-47	-32600	(Sample: Corten steel, L 120 x B 55 x H 47 cm)

	Outside dimensions (cm)				€ excl. VAT		
Basic-Article-number	L	B	H	Weight in kg (ca.)	CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
8304	100	55	47	59	814,29	1262,18	1303,36
8304	120	55	47	76	989,08	1533,61	1583,19
8304	170	55	47	97	1410,08	2185,71	2256,30
8304	200	55	47	111	1515,13	2347,90	2423,53




Open bench (Seat surface made of Resysta)

Offers comfortable legroom beneath the seat.

Article number	-Length	-Width	-Height	- Material	
80040	-128	-55	-40	-32600	(Sample: Corten steel, L 128 x B 55 x H 40 cm)

	Outside dimensions (cm)				€ excl. VAT		
Basic-Article-number	L	B	H	Weight in kg (ca.)	CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
8004	108	55	40	59 kg	740,34	1147,90	1184,87
8004	128	55	40	76 kg	899,16	1394,12	1439,50
8004	178	55	40	97 kg	1282,35	1987,39	2051,26
8004	208	55	40	111 kg	1377,31	2134,45	2203,36



Chest (with a hinged lid, Seat surface made of Resysta)

Article number	-Length	-Width	-Height	- Material	
8305	-120	-55	-47	-32600	(Sample: Corten steel, L 120 x B 55 x H 47 cm)

	Outside dimensions (cm)				€ excl. VAT		
Basic-Article-number	L	B	H	Weight in kg (ca.)	CorTen -3260000	Color-coated -326colorcode	Stainless steel -3030000
8305	100	55	47	59	1099,16	1704,20	1758,82
8305	120	55	47	76	1336,13	2070,59	2136,97
8305	170	55	47	97	1903,36	2950,42	3046,22
8305	200	55	47	111	2044,54	3169,75	3272,27




Chest

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

NATURMETALL

Bench with Planter trough





	Outside dimensions (cm)				€ excl. VAT		
Bench number	L	B	H	Planter trough-Height	CorTen (-32600)	Color-coated (-326colorcode)	Stainless steel (-30300)
3	170	55	47	40	1421,28	2135,29	3368,39
4	210	55	47	40	1546,26	2325,73	3746,73
6	170	80	47	40/46	2170,51	3335,64	5863,52
5	170	80	47	46	1747,33	2481,68	3978,08
9	170	80	47	40/46	2168,45	3332,14	5855,89
7	210	80	47	40/46	2179,29	3318,53	5772,11
8	170	100	60	40/60	2324,67	3563,69	6303,61
11	170	100	60	40/60	2232,55	3407,07	5961,91
10	210	100	60	40/60	2383,17	3623,09	6365,63

Garden loungers (Seat surface made of Resysta)

	Outside dimensions (cm)			€ excl. VAT	
Article	**L**	**B**	**H**	**CorTen (-32600)**	**Color-coated (-326colorcode)**
Garden loungers	158	67	93	1.092,44	1.638,66
Garden loungers rotatable	215	120	101	3.857,14	4.159,66



Garden loungers



Garden loungers rotatable

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.




Privacy screens

Privacy screen Type I (2 mm)


The privacy screen elements from naturmetall are available in various dimensions and can be customized with contour cuts or a wide range of patterns upon request.

Outside dimensions (cm)		with open back panel				Accessories | closed back panel			
			€ excl. VAT				€ excl. VAT		
W	H	Basic-Article-number	CorTen -32600	Color-coated -326colorcode	Stainless steel -30300	Basic-Article-number	CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
125	50	8010155	173,74	295,36	379,07	8011155	173,74	295,36	379,07
125	100	8010158	229,33	389,86	500,36	8011158	229,33	389,86	500,36
125	130	8010161	262,69	446,57	573,14	8011161	262,69	446,57	573,14
180	50	8010156	198,20	336,94	432,44	8011156	198,20	336,94	432,44
180	100	8010159	278,25	473,03	607,09	8011159	278,25	473,03	607,09
180	130	8010162	326,28	554,68	711,88	8011162	326,28	554,68	711,88
280	50	8010157	242,67	412,54	529,46	8011157	242,67	412,54	529,46
280	100	8010160	367,20	624,24	801,16	8011160	367,20	624,24	801,16
280	130	8010163	441,91	751,25	964,17	8011163	441,91	751,25	964,17


Optional mounting options




Art. 81040-326
for floor mounting
+ 95,00 € excl. VAT



Art. 81020-326
for concreting in
+ 75,00 € excl. VAT



Art. 81010-326
for installation between two columns
+ 49,00 € excl. VAT




Art. 81030-326
for wall mounting
+ 60,00 € excl. VAT

Fire bowls & grills


		Outside dimensions (cm)			€ excl. VAT
Article	**Basic-Article-number**	**L**	**W**	**H**	**CorTen -32600**
Fire bowl	8818151	120	120	45	1.932,77
Fire bowl	8818152	120	120	75	2.226,89
Fire bowl	8818153	80	80	45	1.428,57
Fire bowl	8818154	80	80	75	1.512,61
Kubus grill including base	8822164	120	82	97	3.184,87
Kubus grill	8819153	82	82	45	2.176,47
Kubus grill S including base	8822182	105	68	92	1.638,66
Pyramide grill including base	8823165	82	82	96	1.924,37
Add-on grill grate	81050-325	34	34	13	180,67
Insert grill grate	81051-325	34	34	13	180,67
Grill cover made of stainless steel	81080-303	82	82		210,08




Fire bowl



Feuerschale / Fire bowl



Grill / Barbecue Kubus
(mit Grillrost / with grate)



Grill / Barbecue Pyramide
(mit Grillrost / with grate)



Kubus grill S including base

Spherical planter

Article	Outer dimensions in cm		€ excl. VAT
	Ø	H	CorTen -32600
Spherical planter	60	45	747,90
Spherical planter	80	60	831,93
Spherical planter	100	75	1.000,00





Tabletop Fire Features

Article	Outer dimensions in cm			€ excl. VAT
	L	W	H	CorTen -32600
Tabletop Fire Features with Bioethanol	227	191	49	8.361,34

Article



Garden fence & garden lantern

	Outside dimensions (cm)			€ excl. VAT
Article	**L**	**W**	**H**	**CorTen -32600**
Garden fence	-	115	100	352,94
Garden Lantern	35	35	73	915,97
Post for garden fence or privacy screen				190,00



Garden fence incl. Post for garden fence


Garden Lantern







Water basins and fountain systems

Water basins and fountain systems

naturmetall Water Basins – Where Quality Meets Functionality

Our Corten steel water basins combine premium craftsmanship with smart functionality. Visually striking and technically advanced, they are the perfect choice for sophisticated garden design and long-lasting outdoor use.

Your advantages at a glance:

- **Custom dimensions available**
  A wide range of sizes allows for maximum design flexibility – perfectly tailored to your project.

- **Easy installation**
  Thoughtfully engineered for straightforward on-site assembly.

- **High-quality craftsmanship**
  Precisely manufactured from durable Corten steel with an elegant rust patina.

- **Long-lasting protection against standing water**
  All basins are internally coated with a UV-stable, waterproof plastic layer – ensuring exceptional durability.

Special coating for the highest demands

Each naturmetall water basin is internally coated using a black, elastic specialty plastic applied via a hot-spray process. This high-grade sealing offers:

- **Excellent adhesion to the metal surface**
- **Exceptional elasticity with tear elongation up to 100%**
- **Wide temperature resistance from -50 °C to +150 °C**
- **UV and chlorine resistance with standard water treatment**
- **Optional thermal insulation to prevent water from overheating in summer (coating can be applied over insulation panels)**

Water basins Puristic | Corten steel

Water in Its Most Beautiful Form – naturmetall Water Basins Made of Corten Steel

Our water basins are made from 3 mm thick Corten steel, crafted from a single piece, seamlessly welded, precisely ground, and finished with the exclusive naturmetall interior plastic coating – for long-lasting watertightness and maximum durability.

The striking 30 mm wide C-edge not only provides structural stability but also gives the basin a sleek, modern look.

For larger models, integrated reinforcement struts ensure structural integrity – depending on the size. These are, of course, included in the delivery.

Article number	**- Height**	**- Width**	**-Length**	**- Material**	
8301W	-075	-100	-150	-32600	(Sample: Corten steel, H 75 x B 100 x L 150 cm)

	Outside dimensi-ons (cm)		**Corten steel (-32600) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8301W	25	50	810,92	1067,23	1319,33	1827,73	2340,34	2848,74	3357,14
8301W	25	100	1168,07	1529,41	1886,55	2600,84	3315,13	4033,61	4747,90
8301W	25	150		1987,39	2449,58	3373,95	4294,12	5218,49	6142,86
8301W	25	200			3016,81	4142,86	5273,11	6403,36	7533,61
8301W	50	50	1134,45	1491,60	1756,30	2563,03	3281,51	3995,80	4710,08
8301W	50	100	1592,44	2054,62	2390,76	3441,18	4361,34	5285,71	6205,88
8301W	50	150		2621,85	3184,87	4315,13	5445,38	6575,63	7705,88
8301W	50	200			3852,94	5189,08	6525,21	7861,34	9201,68
8301W	75	50	1453,78	1915,97	2378,15	3298,32	4222,69	5147,06	6067,23
8301W	75	100	2016,81	2584,03	3147,06	4277,31	5407,56	6537,82	7668,07
8301W	75	150		3252,10	3920,17	5256,30	6592,44	7928,57	9264,71
8301W	75	200			4693,28	6235,29	7777,31	9323,53	10865,55
8301W	90	50	1873,95	2470,59	3067,23	4256,30	5445,38	6638,66	7827,73
8301W	90	100	2605,04	3331,93	4063,03	5516,81	6974,79	8432,77	9890,76
8301W	90	150		4193,28	5058,82	6781,51	8504,20	10231,09	11953,78
8301W	90	200			6050,42	8042,02	10033,61	12025,21	14016,81









Water basins puristic

Water basins Puristic | Color-coated

Water in Its Most Beautiful Form – naturmetall Water Basins Made of Color-Coated Stainless Steel

The color-coated water basins from naturmetall are crafted from 3 mm thick stainless steel in a single piece – seamlessly welded, precisely ground, and finished with our exclusive naturmetall interior plastic coating for long-lasting watertightness and exceptional durability.
Afterwards, the raised bed is coated with a high-quality, highly scratch-resistant color finish.

The distinctive 30 mm wide C-edge not only adds stability but also gives the basin an elegant, modern finish.

For larger models, integrated reinforcement struts ensure structural safety depending on size. These are, of course, included in the delivery.

Article number	**- Height**	**- Width**	**-Length**	**- Material**	
8301W	-075	-100	-150	-30312	(Sample: Anthracite, H 75 x B 100 x L 150 cm)

	Outside dimensi-ons (cm)		**Color-coated Corten steel (-303Farbcode) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8301W	25	50	1201,68	1609,24	2016,81	2827,73	3638,66	4449,58	5260,50
8301W	25	100	1773,11	2344,54	2915,97	4054,62	5197,48	6336,13	7478,99
8301W	25	150		3079,83	3815,13	5285,71	6756,30	8226,89	9697,48
8301W	25	200			4714,29	6516,81	8315,13	10117,65	11915,97
8301W	50	50	1710,08	2277,31	2848,74	3991,60	5130,25	6273,11	7411,76
8301W	50	100	2445,38	3180,67	3915,97	5386,55	6857,14	8327,73	9798,32
8301W	50	150		4079,83	4978,99	6781,51	8579,83	10382,35	12180,67
8301W	50	200			6046,22	8176,47	10306,72	12436,97	14567,23
8301W	75	50	2214,29	2949,58	3684,87	5155,46	6626,05	8096,64	9567,23
8301W	75	100	3113,45	4016,81	4915,97	6714,29	8516,81	10315,13	12117,65
8301W	75	150		5079,83	6142,86	8273,11	10403,36	12533,61	14663,87
8301W	75	200			7373,95	9836,13	12294,12	14756,30	17214,29
8301W	90	50	2857,14	3806,72	4752,10	6651,26	8546,22	10445,38	12340,34
8301W	90	100	4016,81	5180,67	6340,34	8663,87	10983,19	13306,72	15630,25
8301W	90	150		6554,62	7928,57	10676,47	13424,37	16172,27	18915,97
8301W	90	200			9512,61	12684,87	15861,34	19033,61	22205,88

Other dimensions available upon request at any time.
Please send inquiries via email to info@naturmetall.de.

Water basins Puristic | Stainless steel

Water in Its Most Beautiful Form – naturmetall Water Basins Made of Stainless Steel

The naturmetall stainless steel water basins are crafted from 3 mm thick stainless steel in a single piece – seamlessly welded, precisely ground, and finished on the inside with our exclusive naturmetall plastic coating. This ensures permanent watertightness and exceptional longevity.

The striking 30 mm wide C-edge not only provides structural stability but also gives the basin a sleek, modern finish.

For larger basins, integrated reinforcement struts – depending on size – ensure structural integrity. These are, of course, included in the scope of delivery.

Article number	**- Height**	**- Width**	**-Length**	**- Material**	
8301W	-075	-100	-150	-30300	(Sample: Stainless steel, H 75 x B 100 x L 150 cm)

	Outside dimensions (cm)		**Stainless steel (-30300) € excl. VAT**						
Basic-Article-number	**Height**	**Length / Width**	**100**	**150**	**200**	**300**	**400**	**500**	**600**
8301W	25	50	1331,93	1785,71	2239,50	3147,06	4054,62	4966,39	5873,95
8301W	25	100	1970,59	2609,24	3247,90	4525,21	5802,52	7079,83	8361,34
8301W	25	150		3432,77	4256,30	5903,36	7550,42	9197,48	10844,54
8301W	25	200			5264,71	7281,51	9298,32	11315,13	13331,93
8301W	50	50	1894,96	2533,61	3172,27	4449,58	5731,09	7008,40	8285,71
8301W	50	100	2718,49	3542,02	4365,55	6012,61	7659,66	9306,72	10953,78
8301W	50	150		4550,42	5558,82	7575,63	9592,44	11609,24	13626,05
8301W	50	200			6752,10	9138,66	11525,21	13911,76	16298,32
8301W	75	50	2457,98	3281,51	4109,24	5756,30	7403,36	9050,42	10697,48
8301W	75	100	3466,39	4474,79	5483,19	7500,00	9516,81	11533,61	13550,42
8301W	75	150		5668,07	6861,34	9247,90	11634,45	14021,01	16407,56
8301W	75	200			8239,50	10995,80	13752,10	16508,40	19264,71
8301W	90	50	3172,27	4235,29	5298,32	7424,37	9550,42	11672,27	13798,32
8301W	90	100	4474,79	5773,11	7075,63	9676,47	12277,31	14882,35	17483,19
8301W	90	150		7315,13	8852,94	11932,77	15008,40	18088,24	21163,87
8301W	90	200			10630,25	14184,87	17739,50	21294,12	24848,74





Water walls & spouts





	Outside dimensions (cm)					€ excl. VAT		
Article	**B**	**W**	**T**	**Weight (ca.)**	**Water spout Width (cm)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
Water wall including water spout with straight outlet	50	110	18	25 kg	30	1007,56	1275,63	1329,41
	100	110	18	48 kg	60	1481,51	2074,79	2178,15
	150	110	18	59 kg	60	1777,31	2411,76	2537,82
	150	110	18	60 kg	90	2273,11	2917,65	3047,06
	100	180	18	69 kg	60	1970,59	2712,61	2860,50
Water wall including water spout with curved outlet	50	110	18	25 kg	30	1007,56	1275,63	1329,41
	100	110	18	48 kg	60	1481,51	2074,79	2178,15
	150	110	18	59 kg	60	1852,10	2594,12	2722,69
	150	110	18	60 kg	90	1944,54	2723,53	2858,82
	100	180	18	69 kg	60	2020,17	2829,41	2970,59

	Outside dimensions (cm)					€ excl. VAT		
Article	**B**	**W**	**T**	**Weight (ca.)**	**Water spout Width (cm)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
Water wall including one straight water inlet pipe	50	110	18	25 kg	15	891,60	1159,66	1213,45
	50	110	18	25 kg	20	936,13	1205,04	1258,82
	100	110	18	48 kg	20	1381,51	1896,64	2000,00
Water wall including one curved water inlet pipe	50	110	18	25 kg	20	940,34	1209,24	1263,03
	50	110	18	25 kg	25	1036,97	1305,04	1358,82
	100	110	18	48 kg	25	1481,51	1997,48	2100,00
Water wall including three straight water inlet pipes	100	110	18	52 kg	15	1723,53	2260,50	2368,07
	100	110	18	52 kg	20	1857,98	2395,80	2503,36
Water wall including three curved water inlet pipes	100	110	18	52 kg	20	1870,59	2407,56	2515,13
	100	110	18	52 kg	25	2158,82	2696,64	2803,36

Water walls with water spouts



	Outside dimensions (cm)					€ excl. VAT		
Article	**B**	**W**	**T**	**Weight (ca.)**	**Water spout Width (cm)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
Water wall including water spout with straight outlet	50	110	18	25 kg	30	1007,56	1275,63	1329,41
	100	110	18	48 kg	60	1481,51	2074,79	2178,15
	150	110	18	59 kg	60	1777,31	2411,76	2537,82
	150	110	18	60 kg	90	2273,11	2917,65	3047,06
	100	180	18	69 kg	60	1970,59	2712,61	2860,50



	Outside dimensions (cm)					€ excl. VAT		
Article	**B**	**W**	**T**	**Weight (ca.)**	**Water spout Width (cm)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
Water wall including water spout with curved outlet	50	110	18	25 kg	30	1007,56	1275,63	1329,41
	100	110	18	48 kg	60	1481,51	2074,79	2178,15
	150	110	18	59 kg	60	1852,10	2594,12	2722,69
	150	110	18	60 kg	90	1944,54	2723,53	2858,82
	100	180	18	69 kg	60	2020,17	2829,41	2970,59

Water walls with inlet pipes



Article	Outside dimensions (cm) B	H	T	Weight (ca.)	Water spout Width (cm)	€ excl. VAT CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
Water wall including one straight water inlet pipe	50	110	18	25 kg	15	891,60	1159,66	1213,45
	50	110	18	25 kg	20	936,13	1205,04	1258,82
	100	110	18	48 kg	20	1381,51	1896,64	2000,00
Water wall including one curved water inlet pipe	50	110	18	25 kg	20	940,34	1209,24	1263,03
	50	110	18	25 kg	25	1036,97	1305,04	1358,82
	100	110	18	48 kg	25	1481,51	1997,48	2100,00



Article	Outside dimensions (cm) B	H	T	Weight (ca.)	Water spout Width (cm)	€ excl. VAT CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
Water wall including three straight water inlet pipes	100	110	18	52 kg	15	1723,53	2260,50	2368,07
	100	110	18	52 kg	20	1857,98	2395,80	2503,36
Water wall including three curved water inlet pipes	100	110	18	52 kg	20	1870,59	2407,56	2515,13
	100	110	18	52 kg	25	2158,82	2696,64	2803,36

Freestanding water walls with water spouts or inlet pipes

Article	Outside dimensions (cm) W	H	T	Weight (ca.)	Water spout Width (cm)	€ excl. VAT CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
Freestanding water wall including water spout with straight outlet	50	110	18	25 kg	30	1104,20	1426,05	1490,76
	70	85	18	25 kg	60	1249,58	1594,12	1662,18
	100	110	18	48 kg	60	1757,98	2381,51	2505,88
	100	180	18	69 kg	60	2164,71	3013,45	3183,19
	100	53	10	24 kg	30	988,24	1245,38	1297,48
	100	53	10	30kg	60	1210,92	1533,61	1598,32





Article	Outside dimensions (cm) W	H	T	Weight (ca.)	Water spout Width (cm)	€ excl. VAT CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
Freestanding water wall including water spout with curved outlet	50	110	18	25 kg	30	1290,76	1612,61	1677,31
	100	110	18	48 kg	60	2000,84	2624,37	2748,74
	100	180	18	69 kg	60	2407,56	3256,30	3426,05



Article	Outside dimensions (cm) W	H	T	Weight (ca.)	Water spout Width (cm)	€ excl. VAT CorTen -32600	Color-coated -326colorcode	Stainless steel -30300
Freestanding water wall including three straight water inlet pipes	100	110	18	52 kg	15	1916,81	2561,34	2689,92
	100	110	18	52 kg	20	2052,10	2696,64	2825,21
Freestanding water wall including three curved water inlet pipes	100	110	18	52 kg	20	2063,87	2708,40	2837,82
	100	110	18	52 kg	25	2352,10	2997,48	3126,05



Watercourse & spring fountain

Article	Outside dimensions (cm)			€ excl. VAT	
	L	W	H	CorTen -32600	Stainless steel lackiert -303Farbcode
Watercourse including pump	140	120	110	5.453,78	8.251,40
Three-level watercourse	275	124	90	5.831,93	8.823,53
spring fountain	120	51	50	2.008,40	3.319,33



Watercourse including pump

Spring fountain

including pump, with natural stone cover, 3 water outlets, and naturmetall interior coating



Three-level watercourse

including pump and naturmetall interior coating





Tree and plant rings by naturmetall

Robust. Elegant. Robotic mower-friendly.

Our tree and plant rings combine functional design with timeless aesthetics. Whether used as subtle protection for young trees, a structuring element in flower beds, or a stylish garden border – naturmetall rings are versatile in use and crafted to the highest standards.

Available in three versions:

- **Classic**
  Made from pure sheet material – minimalistic and elegant

- **With upper folded edge**
  For added stability and a clean finish

- **With integrated 75 mm lawn edging lip**
  Ideal for use with robotic mowers – precise edges with no need for touch-ups

Various sizes for every application

From small planting rings to large-format tree surrounds – we offer a wide range of diameters and heights, suitable for private gardens, parks, public spaces, or commercial outdoor areas.

Selectable materials:

- **Corten steel**
  Rich in character with a naturally developing patina

- **Color-coateder Corten steel**
  Border rings in the color of your choice

- **Stainless steel**
  Modern, low-maintenance, and exceptionally durable

Create clear lines and lasting quality with naturmetall – for gardens with structure and style

Tree and plant rings (standard material thickness)

The tree and plant rings by naturmetall are ideal as freestanding bed borders or circular raised beds and are made from a single piece. Their round shape ensures exceptional stability.
Additional diameters and heights over 900 mm are available upon request.

Round planting rings made from standard material thickness offer a cost-effective yet stylish solution for a wide range of plantings.

Article number	**-Height**	**-diameter**	**-MaterialThickness**	**-Material**
80080	-24	-95	-3	-32600

	Outside dimensions (cm)				**€ excl. VAT**		
Article	**H**	**Ø**	**Thickness**	**Weight in kg (ca.)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
80080	24	95	3 mm	18 kg	179,83	316,81	342,02
80080	49	95	3 mm	35 kg	349,58	615,13	664,71
80080	98	95	3 mm	71 kg	708,40	1247,90	1349,58
80080	24	95	5 mm	30 kg	299,16	527,73	569,75
80080	49	95	5 mm	58 kg	578,99	1019,33	1102,52
80080	98	95	5 mm	117 kg	1167,23	2056,30	2223,53
80080	24	190	5 mm	58 kg	578,99	1019,33	1102,52
80080	49	190	5 mm	117 kg	1167,23	2056,30	2223,53
80080	98	190	5 mm	234 kg	2334,45	4113,45	4447,06
80080	24	240	5 mm	73 kg	728,57	1283,19	1387,39
80080	49	240	5 mm	149 kg	1486,55	2619,33	2831,93
80080	98	240	5 mm	300 kg	2989,08	5273,11	5700,84



NATURMETALL

Tree and plant rings (upper folded edge)





The tree and plant rings by naturmetall are ideal as freestanding bed borders or circular raised beds and are made from a single piece. Their round shape ensures exceptional stability.
Additional diameters and heights over 900 mm are available upon request.

Versions with a continuous upper folded edge provide maximum stability and give the planting area a striking, solid appearance.

Article number	**-Height**	**-diameter**	**-MaterialThickness**	**-Material**
80081	-24	-95	-3	-32600

	Outside dimensions (cm)				**€ excl. VAT**		
Article	**H**	**Ø**	**Thickness**	**Weight in kg (ca.)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
80081	24	95	3 mm	21 kg	219,33	368,91	399,16
80081	49	95	3 mm	38 kg	397,48	668,07	721,85
80081	98	95	3 mm	74 kg	773,11	1300,84	1405,88
80081	24	190	3 mm	42 kg	438,66	738,66	798,32
80081	49	190	3 mm	77 kg	805,04	1353,78	1463,03
80081	98	190	3 mm	150 kg	1568,07	2636,97	2850,42
80081	24	240	3 mm	53kg	553,78	931,93	1007,56
80081	49	240	3 mm	97 kg	1013,45	1705,04	1843,70
80081	98	240	3 mm	183 kg	1912,61	3216,81	3477,31

Tree and plant rings

with lawn edging lip – perfectly suited for robotic mowers

Our tree and plant rings with integrated lawn edging lip (75 mm) are the ideal solution for modern gardens:
The clever edge design allows robotic mowers to cut cleanly right up to the border – no need for post-trimming!

Made from durable materials and available in various sizes, they provide reliable protection for plants while ensuring a neat and well-maintained appearance.

The tree and plant rings by naturmetall are ideal as freestanding bed borders or circular raised beds and are crafted from a single piece. Their round shape ensures exceptional stability.
Additional diameters and heights over 900 mm are available upon request.

Article number	**-Height**	**-diameter**	**-MaterialThickness**	**-Material**
80082	-24	-95	-3	-32600

	Outside dimensions (cm)				**€ excl. VAT**		
Article	**H**	**Ø**	**Thickness**	**Weight in kg (ca.)**	**CorTen -32600**	**Color-coated -326colorcode**	**Stainless steel -30300**
80082	24	95	3 mm	21 kg	219,33	368,91	399,16
80082	49	95	3 mm	38 kg	397,48	668,07	721,85
80082	98	95	3 mm	74 kg	773,11	1300,84	1405,88
80082	24	190	3 mm	42 kg	438,66	738,66	798,32
80082	49	190	3 mm	77 kg	805,04	1353,78	1463,03
80082	98	190	3 mm	150 kg	1568,07	2636,97	2850,42
80082	24	240	3 mm	53kg	553,78	931,93	1007,56
80082	49	240	3 mm	97 kg	1013,45	1705,04	1843,70
80082	98	240	3 mm	183 kg	1912,61	3216,81	3477,31



NATURMETALL


Edging (standard material thickness)




The edging elements from naturmetall are supplied as individual segments without connectors as standard. If you would like a connecting tab, please indicate this when placing your order. The optional connecting tab is included in the price listed below and is not visible from the outside.
It is securely fastened using weld studs and a connection plate. The maximum length of a single element is 298 cm.
The 1 mm version is folded once along the top edge to provide added stability and a smooth, rounded finish.

Article number	**- Material**	**- Height**	**- MaterialThickness**	
80091	-32600	-300	-03	(Sample: Corten steel, Height 300 mm, MaterialThickness 3 mm)

			€ excl. VAT pro Meter						
Art.-Nr.	**Material**	**MaterialThickness / Height**	**1 mm**	**3 mm**	**5 mm**	**6 mm**	**8 mm**	**10 mm**	**12 mm**
80091-326-xxx-xx	Corten steel (32600)	bis 150 mm	31,09	42,02	59,66	68,91	86,55	105,04	122,69
		bis 200 mm	36,97	49,58	71,43	82,35	105,04	126,89	148,74
		bis 250 mm	41,18	54,62	80,67	94,12	119,33	145,38	171,43
		bis 300 mm	46,22	61,34	90,76	105,88	135,29	164,71	194,12
		bis 350 mm	48,74	64,71	96,64	112,61	144,54	176,47	208,40
80091-303-xxx-xx	Stainless steel (30300)	bis 150 mm	54,62	72,27	105,04	121,01	152,94	185,71	217,65
		bis 200 mm	63,87	85,71	125,21	145,38	184,87	225,21	264,71
		bis 250 mm	71,43	95,80	142,02	165,55	211,76	258,82	305,04
		bis 300 mm	79,83	106,72	159,66	186,55	238,66	292,44	345,38
		bis 350 mm	84,87	113,45	170,59	199,16	257,14	314,29	371,43
80091-326xx-xxx-xx	Stahl color-coated (326xx)	bis 150 mm	70,59	94,12	136,13	157,14	199,16	241,18	283,19
		bis 200 mm	80,67	107,56	157,98	183,19	233,61	283,19	333,61
		bis 250 mm	89,08	118,49	176,47	205,04	263,03	321,01	378,15
		bis 300 mm	97,48	130,25	194,96	227,73	292,44	357,14	421,01
		bis 350 mm	102,52	136,13	205,04	239,50	308,40	376,47	445,38








Additional options

To offer you maximum flexibility and individuality in choosing naturmetall edging,
we provide, in addition to the standard version with a straight top edge, various optional customization features.

The prices listed in the table below represent additional costs compared to the standard option with a straight top edge.

			€ excl. VAT (Additional cost)	
Additional Option	**Description**	**MaterialThickness**	**Corten steel (32600)**	**Stainless steel (30300)**
Folded top edge (L-shape)	The folded top edge serves as a lawn edging lip and provides additional stability to the product. Maximum length of one element: 150 cm	3 mm	6,47/m	9,66/m
		5 mm	12,02/m	17,98/m
		6 mm	13,11/m	19,66/m
Mounting option: flat steel anchor, insertable	with mounting slot for the edging	all material thicknesses	im Lieferumfang enthalten	
Mounting option: flat steel anchor, welded	The welded flat anchors are attached at defined intervals and can be embedded approximately 200 mm into the ground.	all material thicknesses	5,21/m	7,98/m
Mounting option: folded bottom edge (L-profile) incl. flat anchors for driving into the ground	Allows use on a flat surface with infill using paving stones. The folded edge also provides additional stability.	3 mm	11,68/m	17,65/m
		5 mm	17,23/m	25,97/m
		6 mm	18,32/m	27,65/m





NATURMETALL

Retaining wall (L-shape)








The retaining walls from naturmetall are supplied in individual segments, including flat anchors, reinforcement braces, and screws.
The maximum length of a single element is 298 cm. Please note the quantity discounts listed below the price table!

					€ excl. VAT pro Meter		
Article	**< Height**	**Depth**	**MaterialThickness**	**Weight (ca.)**	**Corten steel (32600)**	**Color-coated (326colorcode)**	**Stainless steel (30300)**
Retaining wall L-shape	300 mm	150 mm	6 mm	21 kg	228,57	423,53	452,10
	400 mm	150 mm	6 mm	29 kg	284,87	551,26	590,76
	500 mm	200 mm	6 mm	37 kg	341,18	679,83	729,41
	600 mm	250 mm	6 mm	45 kg	397,48	808,40	868,91
	700 mm	250 mm	8 mm	68 kg	579,83	1221,85	1316,81
	800 mm	300 mm	8 mm	78 kg	655,46	1393,28	1502,52
	900 mm	350 mm	8 mm	89 kg	717,65	1550,42	1673,95

Volume discounts:
from 10 meters: 5 % discount from 20 meters: 15 % discount from 40 meters: 20 % discount










Retaining wall (C-shape)

he retaining walls from naturmetall are delivered as individual elements, including flat anchors, reinforcement braces, and screws.
The maximum length of a single element is 298 cm. Please note the tiered pricing discounts listed below the price table!

					€ excl. VAT pro Meter		
Article	**< Height**	**Depth**	**MaterialThickness**	**Weight (ca.)**	**Corten steel (32600)**	**Color-coated (326colorcode)**	**Stainless steel (30300)**
Retaining wall C-shape	300 mm	150 mm	3 mm	11 kg	173,11	265,55	279,83
	400 mm	150 mm	3 mm	15 kg	203,36	330,25	349,58
	500 mm	200 mm	3 mm	19 kg	234,45	394,12	419,33
	600 mm	250 mm	5 mm	37 kg	381,51	700,84	751,26
	700 mm	250 mm	5 mm	42 kg	432,77	808,40	867,23
	800 mm	300 mm	6 mm	59 kg	563,03	1078,99	1160,50







Order request

Send us or one of your nearest landscaping professionals a non-binding inquiry regarding your product selection.

Date

Last name, First name

Address

Company

Telephone

Ust-ID

E-Mail

Material



CorTen

Stainless steel
brushed

CorTen
color-coated

Color selection (for color-coated material)



01 Light Ivory
02 Light Pink
03 Red-Violet
07 White-Green
08 Dusty Gray
09 Chestnut Brown



04 Pastel Violet
05 Telemagenta
06 Pigeon Blue
10 Pure White
11 Graphite Black
12 Anthracite

You can easily send your order inquiry by email or fax:
info@naturmetall.de / Fax +49 (0) 9082 9678-77

Pos	Page	Product	Measurements (LxWxH)	Pcs.	Date of delivery

Or perhaps you would like the following:



Custom Fabrications

We are also happy to manufacture custom dimensions, materials, and colors for you.
For special requests, please contact us via email at info@naturmetall.de.





NATURMETALL made by MAX BLANK HIGH QUALITY

naturmetall products are available through a landscaping or garden construction specialist in your region. **Your local qualified partner:**

If there is no specialist company in your area, simply contact us directly: info@naturmetall.de
We'll be happy to advise you – just schedule a phone appointment in advance.
Visit our website for more impressions: www.naturmetall.de

Naturmetall
Max Blank GmbH
Klaus-Blank-Straße 1
D-91747 Westheim

Telephone +49 (0) 9082 9678-0
Fax +49 (0) 9082 9678-77
info@naturmetall.de

